

# MPDB Series Open-Style Power Distribution Blocks

## The Next Generation Power Distribution Block (PDB)

Mersen power distribution blocks provide a safe and easy method of splicing cables, splitting primary power into secondary circuits and fulfilling requirements for fixed junction tap-off points. All blocks are UL and CSA approved while meeting spacing requirements for feeder and branch circuits in conjunction with UL508A and the National Electrical Code®. PDB options include single or dual conductor primary inputs and up to 30 secondary outputs. Specialty blocks are available allowing for up to 7 primary inputs. The MPDB series is offered in three size categories: miniature (MPDB62 and MPDB63 series), intermediate (MPDB66 and MPDB67 series), and large (MPDB68 and MPDB69 series), in both aluminum and copper.

## Features/Benefits:

- **Adder Poles**

All sizes have optional adder poles for increased flexibility and ease-of-use. Adder poles can be stacked to form multi-pole units in the field without the use of tools. Adder poles allow for customization of primary and secondary wire combinations. End barriers are also available for sale, catalog numbers can be found in the catalog number selection tables for each size block.

- **Wire Connectors**

Standard aluminum and copper wire connectors are available. Aluminum connectors accept both AL or CU wire while copper connectors accept CU wire only. Connectors are all 1-piece tin-plated.

- **Insulators**

Insulators are virtually unbreakable, made of glass-filled polycarbonate. "See-through," hinged safety covers are optional and provide a greater degree of safety and shock resistance where required. Hinged covers can be installed without tools.

- **Spacings**

1 inch through air and 2 inches over surface between uninsulated live parts of opposite polarity meets requirements for feeder and branch circuit applications of UL508A.

- **Safety Covers**

Polycarbonate safety covers provide dead-front protection. One cover is needed for each pole. Each cover has a test probe hole in the center for circuit checking. Covers are optional accessories and catalog numbers can be found in the catalog selection tables for each size block.

## Additional Specifications:

|                             |                                                                                                              |
|-----------------------------|--------------------------------------------------------------------------------------------------------------|
| <b>Wire Type:</b>           | Copper Blocks: 60/75°C Solid/Stranded CU<br>Aluminum Blocks: 60/75/90°C Solid/Stranded AL and CU             |
| <b>Connector:</b>           | Copper Blocks: Highly conductive tin-plated copper<br>Aluminum Blocks: Highly conductive tin-plated aluminum |
| <b>Insulating Material:</b> | Glass-filled polycarbonate with verified dielectric strength in excess of 2500V                              |
| <b>Flammability:</b>        | UL94-V0                                                                                                      |
| <b>Mounting:</b>            | Direct panel mount                                                                                           |
| <b>Environmental:</b>       | RoHS compliant, Lead Free                                                                                    |

Available  
Now!



## Ratings:

|              |                                                                         |
|--------------|-------------------------------------------------------------------------|
| <b>Volts</b> | : 600VAC/DC                                                             |
| <b>Amps</b>  | : 65 to 2260A<br>based on NEC table<br>310.15(B)(16) 75°C<br>ampacities |
| <b>SCCR</b>  | : 100kA with properly<br>sized fuse                                     |

(See Mersen's PDB SCCR guide at [ep-us.mersen.com](http://ep-us.mersen.com) or contact Mersen technical services)

## Approvals:

- UL Listed to subject 1953, File E352417
- CSA Certified Class 6228 01




**Mersen**


# MPDB Series Open-Style Power Distribution Blocks

## Dimensions


### Miniature (MPDB63133 shown for reference)



### Intermediate (MPDB67563 shown for reference)



### Large (MPDB69123 shown for reference)



# MPDB62 and MPDB63 Open-Style PDBs


## Catalog Numbers (Miniature)

| Wire Range              | Line<br>Openings<br>per Pole | Wire Range   | Openings<br>per Pole | Catalog Numbers - Aluminum |           |           |           | Catalog Numbers - Copper |           |           |           | Amp Rating<br>per Pole |     |
|-------------------------|------------------------------|--------------|----------------------|----------------------------|-----------|-----------|-----------|--------------------------|-----------|-----------|-----------|------------------------|-----|
|                         |                              |              |                      | ADDER                      | 1-P       | 2-P       | 3-P       | ADDER                    | 1-P       | 2-P       | 3-P       | Al                     | Cu  |
| Box-Box Configuration   |                              |              |                      |                            |           |           |           |                          |           |           |           |                        |     |
| 4 - 14                  | 1                            | 4 - 14       | 1                    | MPDB63100                  | MPDB63101 | MPDB63102 | MPDB63103 | MPDB62100                | MPDB62101 | MPDB62102 | MPDB62103 | 65                     | 85  |
|                         |                              |              | 4                    | MPDB63160                  | MPDB63161 | MPDB63162 | MPDB63163 | MPDB62160                | MPDB62161 | MPDB62162 | MPDB62163 |                        |     |
| 2/0 - 14                | 1                            | 2/0 - 14     | 1                    | MPDB63150                  | MPDB63151 | MPDB63152 | MPDB63153 | MPDB62150                | MPDB62151 | MPDB62152 | MPDB62153 | 135                    | 175 |
|                         |                              | 2 - 14       | 2                    | MPDB63190                  | MPDB63191 | MPDB63192 | MPDB63193 | MPDB62190                | MPDB62191 | MPDB62192 | MPDB62193 |                        |     |
|                         |                              | 4 - 14       | 4                    | MPDB63130                  | MPDB63131 | MPDB63132 | MPDB63133 | MPDB62130                | MPDB62131 | MPDB62132 | MPDB62133 |                        |     |
| Box-Stud Configuration  |                              |              |                      |                            |           |           |           |                          |           |           |           |                        |     |
| 2/0 - 14                | 1                            | 1/4-20 x 5/8 | 1                    | MPDB63140                  | MPDB63141 | MPDB63142 | MPDB63143 | -                        | -         | -         | -         | 135                    | 175 |
| Stud-Stud Configuration |                              |              |                      |                            |           |           |           |                          |           |           |           |                        |     |
| 1/4-20 x 5/8            | 1                            | 1/4-20 x 5/8 | 1                    | -                          | -         | -         | -         | MPDB62200                | MPDB62201 | MPDB62202 | MPDB62203 | 240                    | 240 |

Hinged Safety Cover for MPDB62 and MPDB63 series: Catalog number **MPDBC6263**

End Barrier for MPDB62 and MPDB63 series: Catalog Number **MPDBE6263**

## Adder Pole Installation Instructions



# MPDB66 and MPDB67 Open-Style PDBs

## Catalog Numbers (Intermediate)

| Wire Range              | Line              | Load            |                   | Catalog Numbers - Aluminum |           |           |           | Catalog Numbers - Copper |           |           |           | Amp Rating per Pole |     |
|-------------------------|-------------------|-----------------|-------------------|----------------------------|-----------|-----------|-----------|--------------------------|-----------|-----------|-----------|---------------------|-----|
|                         | Openings per Pole | Wire Range      | Openings per Pole | ADDER                      | 1-P       | 2-P       | 3-P       | ADDER                    | 1-P       | 2-P       | 3-P       | Al                  | Cu  |
| Box-Box Configuration   |                   |                 |                   |                            |           |           |           |                          |           |           |           |                     |     |
| 2/0 - 14                | 1                 | 2/0 - 14        | 1                 | MPDB67050                  | MPDB67051 | MPDB67052 | MPDB67053 | MPDB66050                | MPDB66051 | MPDB66052 | MPDB66053 | 135                 | 175 |
|                         |                   | 2 - 14          | 4                 | MPDB67570                  | MPDB67571 | MPDB67572 | MPDB67573 | MPDB66570                | MPDB66571 | MPDB66572 | MPDB66573 |                     |     |
|                         |                   | 2 - 14          | 6                 | MPDB67560                  | MPDB67561 | MPDB67562 | MPDB67563 | MPDB66560                | MPDB66561 | MPDB66562 | MPDB66563 |                     |     |
|                         |                   | 2 - 14          | 8                 | MPDB67580                  | MPDB67581 | MPDB67582 | MPDB67583 | MPDB66580                | MPDB66581 | MPDB66582 | MPDB66583 |                     |     |
|                         |                   | 6 - 14          | 10                | MPDB67590                  | MPDB67591 | MPDB67592 | MPDB67593 | MPDB66590                | MPDB66591 | MPDB66592 | MPDB66593 |                     |     |
|                         |                   | 10 - 14         | 12                | MPDB67110                  | MPDB67111 | MPDB67112 | MPDB67113 | MPDB66110                | MPDB66111 | MPDB66112 | MPDB66113 |                     |     |
| 350 - 6                 | 1                 | 350 - 6         | 1                 | MPDB67000                  | MPDB67001 | MPDB67002 | MPDB67003 | MPDB66000                | MPDB66001 | MPDB66002 | MPDB66003 | 250                 | 310 |
|                         |                   | 2/0 - 14        | 2                 | MPDB67010                  | MPDB67011 | MPDB67012 | MPDB67013 | MPDB66010                | MPDB66011 | MPDB66012 | MPDB66013 |                     |     |
|                         |                   | 2 - 14          | 4                 | MPDB67670                  | MPDB67671 | MPDB67672 | MPDB67673 | MPDB66670                | MPDB66671 | MPDB66672 | MPDB66673 |                     |     |
|                         |                   | 2 - 14          | 6                 | MPDB67660                  | MPDB67661 | MPDB67662 | MPDB67663 | MPDB66660                | MPDB66661 | MPDB66662 | MPDB66663 |                     |     |
|                         |                   | 2 - 14          | 8                 | MPDB67630                  | MPDB67631 | MPDB67632 | MPDB67633 | MPDB66630                | MPDB66631 | MPDB66632 | MPDB66633 |                     |     |
|                         |                   | 6 - 14          | 10                | MPDB67650                  | MPDB67651 | MPDB67652 | MPDB67653 | MPDB66650                | MPDB66651 | MPDB66652 | MPDB66653 |                     |     |
|                         |                   | 10 - 14         | 15                | MPDB67620                  | MPDB67621 | MPDB67622 | MPDB67623 | MPDB66620                | MPDB66621 | MPDB66622 | MPDB66623 |                     |     |
| 500 - 4                 | 1                 | 500 - 4         | 1                 | MPDB67400                  | MPDB67401 | MPDB67402 | MPDB67403 | MPDB66400                | MPDB66401 | MPDB66402 | MPDB66403 | 310                 | 380 |
|                         |                   | 350-6 & 2-14    | 1 & 3             | MPDB67450                  | MPDB67451 | MPDB67452 | MPDB67453 | MPDB66450                | MPDB66451 | MPDB66452 | MPDB66453 |                     |     |
|                         |                   | 4/0 - 10        | 2                 | MPDB67420                  | MPDB67421 | MPDB67422 | MPDB67423 | -                        | -         | -         | -         |                     |     |
|                         |                   | 2/0 - 14        | 4                 | MPDB67410                  | MPDB67411 | MPDB67412 | MPDB67413 | MPDB66410                | MPDB66411 | MPDB66412 | MPDB66413 |                     |     |
|                         |                   | 2 - 14          | 6                 | MPDB67460                  | MPDB67461 | MPDB67462 | MPDB67463 | MPDB66460                | MPDB66461 | MPDB66462 | MPDB66463 |                     |     |
|                         |                   | 2 - 14          | 8                 | MPDB67430                  | MPDB67431 | MPDB67432 | MPDB67433 | -                        | -         | -         | -         |                     |     |
|                         |                   | 6 - 14          | 10                | MPDB67480                  | MPDB67481 | MPDB67482 | MPDB67483 | -                        | -         | -         | -         |                     |     |
|                         |                   | 10-14           | 18                | MPDB67490                  | MPDB67491 | MPDB67492 | MPDB67493 | MPDB66490                | MPDB66491 | MPDB66492 | MPDB66493 |                     |     |
| 2/0 - 14                | 2                 | 2/0 - 14        | 2                 | MPDB67020                  | MPDB67021 | MPDB67022 | MPDB67023 | MPDB66020                | MPDB66021 | MPDB66022 | MPDB66023 | 270                 | 350 |
|                         |                   | 2 - 14          | 6                 | MPDB67510                  | MPDB67511 | MPDB67512 | MPDB67513 | MPDB66510                | MPDB66511 | MPDB66512 | MPDB66513 |                     |     |
|                         |                   | 2 - 14          | 8                 | MPDB67610                  | MPDB67611 | MPDB67612 | MPDB67613 | MPDB66610                | MPDB66611 | MPDB66612 | MPDB66613 |                     |     |
|                         |                   | 6 - 14          | 10                | MPDB67530                  | MPDB67531 | MPDB67532 | MPDB67533 | MPDB66530                | MPDB66531 | MPDB66532 | MPDB66533 |                     |     |
|                         |                   | 10 - 14         | 15                | MPDB67550                  | MPDB67551 | MPDB67552 | MPDB67553 | MPDB66550                | MPDB66551 | MPDB66552 | MPDB66553 |                     |     |
| 4/0 - 6                 | 2                 | 4/0 - 10        | 2                 | MPDB67520                  | MPDB67521 | MPDB67522 | MPDB67523 | MPDB66520                | MPDB66521 | MPDB66522 | MPDB66523 | 360                 | 460 |
|                         |                   | 2 - 14          | 6                 | MPDB67540                  | MPDB67541 | MPDB67542 | MPDB67543 | MPDB66540                | MPDB66541 | MPDB66542 | MPDB66543 |                     |     |
| Box-Stud Configuration  |                   |                 |                   |                            |           |           |           |                          |           |           |           |                     |     |
| 350 - 6                 | 1                 | 3/8-16 x 1-1/16 | 1                 | MPDB67250                  | MPDB67251 | MPDB67252 | MPDB67253 | -                        | -         | -         | -         | 250                 | 310 |
| 500 - 4                 | 1                 | 3/8-16 x 1-1/16 | 1                 | MPDB67220                  | MPDB67221 | MPDB67222 | MPDB67223 | -                        | -         | -         | -         | 310                 | 380 |
| Stud-Stud Configuration |                   |                 |                   |                            |           |           |           |                          |           |           |           |                     |     |
| 1/4-20 x 1-5/16         | 1                 | 1/4-20 x 1-5/16 | 1                 | -                          | -         | -         | -         | MPDB66270                | MPDB66271 | MPDB66272 | MPDB66273 | 155                 | 155 |
| 3/8-16 x 1-1/8          | 1                 | 1/4-20 x 1-5/16 | 2                 | -                          | -         | -         | -         | MPDB66230                | MPDB66231 | MPDB66232 | MPDB66233 | 400                 | 400 |
|                         |                   | 3/8-16 x 1-1/8  | 1                 | -                          | -         | -         | -         | MPDB66260                | MPDB66261 | MPDB66262 | MPDB66263 |                     |     |

Hinged Safety Cover for MPDB66 and MPDB67 series: Catalog number **MPDBC6667**

End Barrier for MPDB66 and MPDB67 series: Catalog Number **MPDBE6667**

# MPDB68 and MPDB69 Open-Style PDBs

## Catalog Numbers (Large)

| Line                    |                   | Load            |                   | Catalog Numbers - Aluminum |           |           |           | Catalog Numbers - Copper |           |           |           | Amp Rating per Pole |      |
|-------------------------|-------------------|-----------------|-------------------|----------------------------|-----------|-----------|-----------|--------------------------|-----------|-----------|-----------|---------------------|------|
| Wire Range              | Openings per Pole | Wire Range      | Openings per Pole | ADDER                      | 1-P       | 2-P       | 3-P       | ADDER                    | 1-P       | 2-P       | 3-P       | Al                  | Cu   |
| Box-Box Configuration   |                   |                 |                   |                            |           |           |           |                          |           |           |           |                     |      |
| 350 - 6                 | 1                 | 2/0 - 14        | 6                 | MPDB69170                  | MPDB69171 | MPDB69172 | MPDB69173 | -                        | -         | -         | -         | 250                 | 310  |
|                         |                   | 4 - 14          | 12                | MPDB69150                  | MPDB69151 | MPDB69152 | MPDB69153 | MPDB68150                | MPDB68151 | MPDB68152 | MPDB68153 |                     |      |
| 500 - 4                 | 1                 | 500 - 4         | 1                 | MPDB69050                  | MPDB69051 | MPDB69052 | MPDB69053 | -                        | -         | -         | -         | 310                 | 380  |
|                         |                   | 350 - 6         | 2                 | MPDB69060                  | MPDB69061 | MPDB69062 | MPDB69063 | MPDB68060                | MPDB68061 | MPDB68062 | MPDB68063 |                     |      |
|                         |                   | 4/0 - 6         | 4                 | MPDB69510                  | MPDB69511 | MPDB69512 | MPDB69513 | -                        | -         | -         | -         |                     |      |
|                         |                   | 2/0 - 14        | 6                 | MPDB69070                  | MPDB69071 | MPDB69072 | MPDB69073 | -                        | -         | -         | -         |                     |      |
|                         |                   | 4 - 14          | 12                | MPDB69080                  | MPDB69081 | MPDB69082 | MPDB69083 | -                        | -         | -         | -         |                     |      |
| 600 - 2                 | 1                 | 600 - 2         | 1                 | MPDB69640                  | MPDB69641 | MPDB69642 | MPDB69643 | -                        | -         | -         | -         | 340                 | 420  |
| 1000 - 250              | 1                 | 1000 - 250      | 1                 | MPDB69000                  | MPDB69001 | MPDB69002 | MPDB69003 | -                        | -         | -         | -         | 445                 | 545  |
|                         |                   | 500 - 4         | 2                 | MPDB69010                  | MPDB69011 | MPDB69012 | MPDB69013 | -                        | -         | -         | -         |                     |      |
|                         |                   | 350 - 6         | 2                 | MPDB69020                  | MPDB69021 | MPDB69022 | MPDB69023 | -                        | -         | -         | -         |                     |      |
|                         |                   | 2/0 - 14        | 6                 | MPDB69030                  | MPDB69031 | MPDB69032 | MPDB69033 | -                        | -         | -         | -         |                     |      |
|                         |                   | 4 - 14          | 12                | MPDB69040                  | MPDB69041 | MPDB69042 | MPDB69043 | -                        | -         | -         | -         |                     |      |
| 4 - 14                  | 2                 | 4 - 14          | 12                | MPDB69180                  | MPDB69181 | MPDB69182 | MPDB69183 | -                        | -         | -         | -         | 130                 | 170  |
| 2/0 - 14                | 2                 | 4 - 14          | 12                | MPDB69160                  | MPDB69161 | MPDB69162 | MPDB69163 | MPDB68160                | MPDB68161 | MPDB68162 | MPDB68163 | 270                 | 350  |
|                         |                   | 10 - 14         | 20                | MPDB69600                  | MPDB69601 | MPDB69602 | MPDB69603 | -                        | -         | -         | -         |                     |      |
| 350 - 6                 | 2                 | 350 - 6         | 2                 | MPDB69120                  | MPDB69121 | MPDB69122 | MPDB69123 | MPDB68120                | MPDB68121 | MPDB68122 | MPDB68123 | 500                 | 620  |
|                         |                   | 4/0 - 10        | 4                 | -                          | -         | -         | -         | MPDB68320                | MPDB68321 | MPDB68322 | MPDB68323 |                     |      |
|                         |                   | 2/0 - 14        | 6                 | MPDB69130                  | MPDB69131 | MPDB69132 | MPDB69133 | MPDB68130                | MPDB68131 | MPDB68132 | MPDB68133 |                     |      |
|                         |                   | 4 - 14          | 12                | MPDB69140                  | MPDB69141 | MPDB69142 | MPDB69143 | MPDB68140                | MPDB68141 | MPDB68142 | MPDB68143 |                     |      |
| 500 - 4                 | 2                 | 500 - 4         | 2                 | MPDB69090                  | MPDB69091 | MPDB69092 | MPDB69093 | MPDB68090                | MPDB68091 | MPDB68092 | MPDB68093 | 620                 | 760  |
|                         |                   | 4/0 - 6         | 4                 | MPDB69310                  | MPDB69311 | MPDB69312 | MPDB69313 | -                        | -         | -         | -         |                     |      |
|                         |                   | 4/0 - 10        | 4                 | -                          | -         | -         | -         | MPDB68310                | MPDB68311 | MPDB68312 | MPDB68313 |                     |      |
|                         |                   | 2/0 - 14        | 6                 | MPDB69100                  | MPDB69101 | MPDB69102 | MPDB69103 | MPDB68100                | MPDB68101 | MPDB68102 | MPDB68103 |                     |      |
|                         |                   | 2/0 - 14        | 8                 | MPDB69350                  | MPDB69351 | MPDB69352 | MPDB69353 | -                        | -         | -         | -         |                     |      |
| 600 - 2                 | 2                 | 4 - 14          | 12                | MPDB69110                  | MPDB69111 | MPDB69112 | MPDB69113 | -                        | -         | -         | -         | 680                 | 840  |
|                         |                   | 600 - 2         | 2                 | MPDB69650                  | MPDB69651 | MPDB69652 | MPDB69653 | -                        | -         | -         | -         |                     |      |
|                         |                   | 4-14 & 3/0-10   | 4 & 4             | MPDB69540                  | MPDB69541 | MPDB69542 | MPDB69543 | -                        | -         | -         | -         |                     |      |
| Box-Stud Configuration  |                   |                 |                   |                            |           |           |           |                          |           |           |           |                     |      |
| 500 - 4                 | 1                 | 3/8-16 x 1      | 1                 | MPDB69210                  | MPDB69211 | MPDB69212 | MPDB69213 | -                        | -         | -         | -         | 310                 | 380  |
|                         |                   | 3/8-16 x 1      | 2                 | MPDB69270                  | MPDB69271 | MPDB69272 | MPDB69273 | -                        | -         | -         | -         |                     |      |
| 1000 - 250              | 1                 | 1/2-13 x 1-3/16 | 1                 | MPDB69280                  | MPDB69281 | MPDB69282 | MPDB69283 | -                        | -         | -         | -         | 445                 | 545  |
| 1/2-13 x 1              | 1                 | 4 - 14          | 12                | -                          | -         | -         | -         | MPDB68290                | MPDB68291 | MPDB68292 | MPDB68293 | 1000                | 1000 |
| 500 - 4                 | 2                 | 3/8-16 x 1      | 2                 | MPDB67230                  | MPDB67231 | MPDB67232 | MPDB67233 | -                        | -         | -         | -         | 620                 | 760  |
| Stud-Stud Configuration |                   |                 |                   |                            |           |           |           |                          |           |           |           |                     |      |
| 1/2-13 x 1-3/8          | 1                 | 1/2-13 x 1-3/8  | 1                 | -                          | -         | -         | -         | MPDB68220                | MPDB68221 | MPDB68222 | MPDB68223 | 400                 | 400  |

Hinged Safety Cover for MPDB68 and MPDB69 series: Catalog number **MPDBC6869**

End Barrier for MPDB68 and MPDB69 series: Catalog Number **MPDBE6869**

# MPDB Double-Wide Open-Style PDBs

The MPDB double-wide series are designed for custom applications where large ampacities are required. Double-wide blocks are not UL or CSA certified unless otherwise notice. All double-wide blocks are Mersen self-certified and approved.

## Catalog Numbers (Double-Wide)

| Line                   |                   | Load       |                   | Aluminum   | Copper      | Amp Rating per Pole |      |
|------------------------|-------------------|------------|-------------------|------------|-------------|---------------------|------|
| Wire Range             | Openings per Pole | Wire Range | Openings per Pole | Poles 1-P  | Poles 1-P   | Al                  | Cu   |
| Box-Box Configuration  |                   |            |                   |            |             |                     |      |
| 1000 - 250             | 2                 | 500 - 4    | 4                 | MPDB69561  | -           | 890                 | 1090 |
| 500 - 4                | 3                 | 4/0 - 10   | 6                 | -          | MPDB800011  | 930                 | 1140 |
|                        |                   | 2/0 - 14   | 8                 | MPDB900061 | -           |                     |      |
| 600 - 2                | 3                 | 600 - 2    | 3                 | MPDB69331  | -           | 1020                | 1260 |
| 500 - 4                | 4                 | 500 - 4    | 4                 | MPDB900071 | MPDB800031  | 1240                | 1520 |
|                        |                   | 2/0 - 12   | 6                 | MPDB900121 | MPDB800121  |                     |      |
|                        |                   | 6 - 14     | 30                | MPDB69191  | -           |                     |      |
| 600 - 2                | 4                 | 600 - 2    | 4                 | MPDB69341  | -           | 1360                | 1680 |
| 500 - 4                | 7                 | 500 - 4    | 7                 | -          | MPDB800061* | 2170                | 2660 |
| Box-Stud Configuration |                   |            |                   |            |             |                     |      |
| 500 - 4                | 4                 | 3/8-16 x 1 | 4                 | MPDB900091 | -           | 1240                | 1520 |

\* This block is triple-wide

## Dimensions: